

REV.	20	795941300002	CORE;FERRITE CORE FOR FPC,W50*L12	1	EA
REV.	19	422112200004	CABLE ASSY;DKVIN TO 1394 J9,W/O MK	1	EA
REV.	18	421112300001	CABLE ASSY;2P,LED BD TO MBD,A760T	1	ST
	17	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
	16	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
	15	7970F1403050	SCR;M3L5,THIN FE,NIW	4	EA
	14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
	13	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
	12	796112210001	BRKT;EMI,VGA CABLE,A-320	1	EA
	11	796112130004	BRKT.;COVER CHASSIS,A-760	1	EA
	10	796112061019	COVER,SCREW;A-SERIES	2	EA
	9	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
	8	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
	7	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
	6	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
	5	791941122020	HOUSING ASSY;MBD,A320T	1	ST
	4	791941122310	UPPER ASSY;A320T-7	1	ST
		791931121109	KBD ASSY;A760T/A320T,US	1	ST
	3	422112100001	CABLE ASSY;PANEL ID SELECT,A760	1	ST
REV.	2	413000020193	LCD;AA121SJ23,TFT12.1,LVDS,SVGA,ADI	1	EA
	1	346112200009	GASKET;50*10*3M/M,A320-BRKT	1	EA
ITEM	P/N	DESCRIPTION		Q'TY	UNIT

FILE NAME C:\DWG\A320T\ASSY\79191020.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.
REV.	CHANGE ITEM 2 AND ADD ITEM 18,19,20	?		90.01.08	831124-00011

GENERAL TOLERANCE ±

GRADE	MACHINING			STAMPING		
NOM. SIZE	Fine	Med.	Coarse	A	B	C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.07.27 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: BODY ASSY;A320T-7 | ISSUE A | MAT'L/NO AD 79191 1122 020 | Rev. 01

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-1 Body Assy; A320T-7



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
12	422112100001	CABLE ASSY;PANEL ID SELECT,A760	1	ST
11	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
10	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
9	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
8	796112061019	COVER,SCREW;A-SERIES	2	EA
7	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
6	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
5	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
4	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
3	791941122002	HOUSING ASSY;MBD,A320,MODEM,LAN	1	ST
2	791931121009	KBD ASSY;A760/A320,US	1	ST
	791941121300	UPPER ASSY;A760-7	1	ST
1	412000020160	LCD;AA121SJ03,TFT,12.1"SVGA	1	EA

Figure C-1 Body Assy; A320T-7, DVT1

1/6



R00

ITEM	P/N	DESCRIPTION	Q'TY	UNIT
20	422112200004	CABLE ASSY;DKVIN TO 1394 J9,W/O MK	1	EA
19	421112300001	CABLE ASSY;2P,LED BD TO MBD,A760T	1	ST
18	795941300002	CORE;FERRITE CORE FOR FPC,W50*L12	1	EA
17	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
16	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
15	7970F1403050	SCR;M3L5,THIN FE,NIW	4	EA
14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
13	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
12	796112210001	BRKT;EMI,VGA CABLE,A-320	1	EA
11	796112130004	BRKT;COVER CHASSIS,A-760	1	EA
10	796112061019	COVER,SCREW;A-SERIES	2	EA
9	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
8	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
7	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
6	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
5	791941126001	HOUSING ASSY;MBD,A320S	1	ST
4	791941122311	UPPER ASSY;A320T-8	1	ST
	791931126009	KBD ASSY;A760S/A320S,US	1	ST
3	413000020212	LCD;APAXT1302,TFT,13.3",LVDS,XGA	1	EA
2	346112200013	GASKET;40*10*3M/M,A320T-8-LCD	1	EA
1	346112200009	GASKET;50*10*3M/M,A320-BRKT	1	EA

FILE NAME C:\DWG\A320S\ASSY\79191002.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE	MAT'L
90.08.17	

UNIT	SCALE	Q'TY

DRAWN	DSGN	CHKD	APPR
Blanca Chen			

TITLE: BODY ASSY;A320S-8

ISSUE: A

MAT'L/NO: AD 79191 1126 002

Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-1 Body Assy; A320S-7



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
20	422112200004	CABLE ASSY;DKVIN TO 1394 J9,W/O MK	1	EA
19	421112300001	CABLE ASSY;2P,LED BD TO MBD,A760T	1	ST
18	795941300002	CORE;FERRITE CORE FOR FPC,W50*L12	1	EA
17	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
16	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
15	7970F1403050	SCR;M3L5,THIN FE,NIW	4	EA
14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
13	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
12	796112210001	BRKT;EMI,VGA CABLE,A-320	1	EA
11	796112130004	BRKT;COVER CHASSIS,A-760	1	EA
10	796112061019	COVER,SCREW;A-SERIES	2	EA
9	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
8	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
7	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
6	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
5	791941122020	HOUSING ASSY;MBD,A320T	1	ST
4	791941122311	UPPER ASSY;A320T-8	1	ST
	791931122009	KBD ASSY;A760T/A320T,US,BACKLIGHT	1	ST
3	413000020212	LCD;APAXT1302,TFT,13.3",LVDS,XGA	1	EA
2	346112200013	GASKET;40*10*3M/M,A320T-8-LCD	1	EA
1	346112200009	GASKET;50*10*3M/M,A320-BRKT	1	EA

FILE NAME C:\DWG\A320T\ASSY\79191021.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.
REV.	CHANGE PART OF ITEM 4 AND ADD ITEM 18,19,20	?		90.01.08	831124-00011

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.08.03 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanco Chen | DSGN | CHKD | APPR

TITLE: BODY ASSY;A320T-8 | ISSUE A | MAT'L/NO AD 79191 1122 021 | Rev. 01

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-2 Body Assy; A320T-8



R00

ITEM	P/N	DESCRIPTION	Q'TY	UNIT
20	422112200004	CABLE ASSY;DKVIN TO 1394 J9,W/O MK	1	EA
19	421112300001	CABLE ASSY;2P,LED BD TO MBD,A760T	1	ST
18	795941300002	CORE;FERRITE CORE FOR FPC,W50*L12	1	EA
17	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
16	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
15	7970F1403050	SCR;M3L5,THIN FE,NIW	4	EA
14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
13	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
12	796112210001	BRKT;EMI,VGA CABLE,A-320	1	EA
11	796112130004	BRKT;COVER CHASSIS,A-760	1	EA
10	796112061019	COVER,SCREW;A-SERIES	2	EA
9	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
8	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
7	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
6	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
5	791941126001	HOUSING ASSY;MBD,A320S	1	ST
4	791941122311	UPPER ASSY;A320T-8	1	ST
	791931126009	KBD ASSY;A760S/A320S,US	1	ST
3	413000020212	LCD;APAXT1302,TFT,13.3",LVDS,XGA	1	EA
2	346112200013	GASKET;40*10*3M/M,A320T-8-LCD	1	EA
1	346112200009	GASKET;50*10*3M/M,A320-BRKT	1	EA

FILE NAME C:\DWG\A320S\ASSY\79191002.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	Med.	Coarse	STAMPING A	B	C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.17 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: BODY ASSY;A320S-8
ISSUE: A
MAT'L/NO: AD 79191 1126 002
Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-2 Body Assy; A320S-8



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
20	795941300002	CORE;FERRITE CORE FOR FPC,W50*L12	1	EA
19	422112200004	CABLE ASSY;DKVIN TO 1394 J9,W/O MK	1	EA
18	421112300001	CABLE ASSY;2P,LED BD TO MBD,A760T	1	ST
17	7970G0103090	SCR;M3L9,THIN FLT,SUS,BCT	11	EA
16	7970G0103070	SCR;M3L7,THIN FLT,SUS,BCT	3	EA
15	7970F1403050	SCR;M3L5,THIN FE,NIW	4	EA
14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
13	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
12	796112210001	BRKT;EMI,VGA CABLE,A-320	1	EA
11	796112130004	BRKT.;COVER CHASSIS,A-760	1	EA
10	796112061019	COVER,SCREW;A-SERIES	2	EA
9	796112000002	RUBBER HINGE,RH;A-SERIES	1	EA
8	796112000001	RUBBER HINGE,LF;A-SERIES	1	EA
7	795861109902	CABLE;FLAT,1.0MM,40W,FPC,L=130	1	PC
6	791961120002	CABLE ASSY;LED TO MBD,W/O,A-SERIES	1	EA
5	79194124200	HOUSING ASSY;MBD,A320T,TOUCH SCREEN	1	ST
4	791941124401	UPPER ASSY;A320T-7T/A760T-7T	1	ST
	791931122009	KBD ASSY;A760T/A320T,US,BACKLIGHT	1	ST
3	422112100001	CABLE ASSY;PANEL ID SELECT,A760	1	ST
2	413000020193	LCD;AA121SJ23,TFT12.1,LVDS,SVGA,ADI	1	EA
1	346112200009	GASKET;50*10*3M/M,A320-BRKT	1	EA

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

Figure C-3 Body Assy; A320T-7T

1/5

R00



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
6	797030102070	SCR;M2L7,FLT,SUS,BCT	20	EA
5	796112091002	BOTTOM COVER,KEYBOARD;A-SERIES	1	EA
4	796112261002	RUBBER KEY BD,BL,US;A-320	1	EA
3	796112051008	MYLAR,KEYBOARD;A-SERIES	1	EA
2	796112650001	TOP COVER,KEYBOARD;A320S	1	EA
1	411112200031	PWA;PWA-A320T,KEY BD MATRIX,W/O LED	1	PC

FILE NAME C:\DWG\A320S\ASSY\79193009.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	Med.	Coarse	STAMPING A	B	C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.6

DATE 90.08.21 | MAT'L —

UNIT — | SCALE — | Q'TY —

DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: KBD ASSY;A760S/A320S,US

ISSUE A

MAT'L/NO: AD 79193 1126 009

Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

C-3

Figure C-3 Keyboard Assy; A760S/A320S, US



PAGE 1
ROO

12	796112431004	DOOR;BAY2,SUS PIN,A-320T	1	EA
11	796112431003	DOOR;BAY1,SUS PIN,A-320T	1	EA
10	796112431002	DOOR;POWER,SUS PIN,A-320T	1	EA
9	796112431001	DOOR;I/O,SUS PIN,A-320T	1	EA
8	796112260015	RUBBER;BAY2,IP54,A320T	1	EA
7	796112160205	RUBBER;BAY 1,IP54,A760T	1	EA
6	796112160204	RUBBER;I/O,IP54,A-760T	1	EA
5	796112160201	RUBBER;POWER,IP54,A-760T	1	EA
4	796112160003	RUBBER PAD;BAY1 DOOR,A-760	1	EA
3	796112160002	RUBBER PAD;BAY1,A-760	1	EA
2	796112060009	RUBBER,FDD;A-SERIES	1	EA
1	796112010002	SHOULDER SCREW;A-SERIES	11	EA
ITEM	P/N	DESCRIPTION	Q'TY	UNIT

FILE NAME C:\DWG\A320S\ASSY\79194001.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE \ GRADE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE	MAT'L	TITLE	
90.08.15	—	HOUSING ASSY;MBD,A320S	ISSUE A
UNIT —	SCALE —	Q'TY —	MAT'L/NO AD 79194 1126 001
			Rev. 00
DRAWN Blanca Chen	DSGN	CHKD	APPR

GETAC 神基科技股份有限公司

SHT NO. 1 OF 4

C-4

Figure C-4-1 Housing Assy; Motherboard, A320S



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
31	SEE SHT NO. 1 OF 4			
30	798014110601	EMI GASKET;AGLHI,1.78mm,ϕ55	4	FT
29	797500100031	DOOR LOCK (TIFCO FA25N7)	1	EA
28	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	4	EA
27	797030202050	SCR;M2L5,FLT,SUS,PSV	2	EA
26	797021102040	SCR;M2L4,FLT,FE,BCT	16	EA
25	796112310002	SCREW;EJECTOR,M2,A-760T	2	EA
24	797010202050	SCR;M2L5,RND,SUS,PSV	4	EA
23	796112291001	HOUSING;A-320T	1	EA
22	796112250001	CAP;TV-OUT,A-320	1	EA
21	796112150050	EJECTER;A-760	1	EA
20	796112150001	MYLAR;BATTERY,A-760	1	EA
19	796112063004	RUBBER,BRKT,LOCKER;A-SERIES	1	EA
18	796112060012	RUBBER CUSHION;A-SERIES	2	EA
17	796112051015	MYLAR,EJECTOR;A-SERIES	1	EA
16	796112410001	DOOR HINGE;SUS,A-320T	8	EA
15	796112030035	DEPRESS,LOCKER;A-SERIES	1	EA
14	796112000004	RUBBER BUMPER;A-SERIES	4	EA
13	796111350009	CAP,IR;L-SERIES	1	EA

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE / GRADE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE	MAT'L	UNIT	SCALE	Q'TY
90.08.15				

DRAWN	DSGN	CHKD	APPR
Blanca Chen			

TITLE: HOUSING ASSY;MBD,A320S

ISSUE A

MAT'L/NO: AD 79194 1126 001

Rev. 00

GETAC 神基科技股份有限公司

Figure C-4-2 Housing Assy; Motherboard, A320S

1/1.5

PAGE 3
R00



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
33	796112210002	BRKT;I/O,A-320	1	EA
32	411112600003	PWA;PWA-A320S M/B	1	PC

FILE NAME C:\DWG\A320S\ASSY\79194001.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE \ GRADE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.15 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: HOUSING ASSY;MBD,A320S
MAT'L/NO: AD 79194 1126 001
ISSUE: A
Rev.: 00

GETAC 神基科技股份有限公司

SHT NO. 3 OF 4

Figure C-4-3 Housing Assy; Motherboard, A320S



PAGE 4
R00

ITEM	P/N	DESCRIPTION	Q'TY	UNIT
68	SEE SHT NO. 2 OF 4			
67	SEE SHT NO. 3 OF 4			
66	798014110601	EMI GASKET;AGLNI,1.78mm,#55	4	FT
65	797S01000004	RUBBER PAD;AS-232 T=4(ｳﾚﾀﾝ)	1	EA
64	797S01000032	RUBBER PAD;25*12*6T (ｳﾚﾀﾝ AP-205)	2	EA
63	797420204000	WASH;M2,SPR,SUS,PSV	2	EA
62	7970F1403050	SCR;M3L5,THIN FE,NIW	15	EA
61	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	6	EA
60	797010B2060	SCR;M2.6L6,RND,SUS,PSV	4	EA
59	797010203100	SCR;M3L10,RND,SUS,PSV	2	EA
58	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
57	797010202080	SCR;M2L8,RND,SUS,PSV	1	EA
56	797010202050	SCR;M2L5,RND,SUS,PSV	5	EA
55	796112260014	HANDLE;A-320T	1	EA
54	796112260001	RUBBER;25*25*0.5T,A-320	1	EA
53	796112250002	CAP;ADAPTER&M'D,A-320T	1	EA
52	796112230001	HEATSINK;LAN BD,A-320	1	EA
51	796112063005	RUBBER PLUG;BAY1,A-760	1	EA
50	796112060050	RUBBER;BRKT HOLDER,A-320	2	EA
49	796112060016	RUBBER PAD,HEAT SINK;A-SERIES	17	EA
48	796112432001	HEATSINK;uPGA2,A320T	1	EA
47	796112031013	CAP;ETHERNET,A-320	1	EA
46	796112031012	CAP;MODEM,A-320	1	EA
45	796112012006	S-STANDOFF,H=18MM;A-SERIES	3	EA
44	796112012002	HOLDER,2ND SCREW;A-SERIES	2	EA
43	796112012001	HOLDER,SCREW;A-SERIES	4	EA
42	796112010020	S-STANDOFF;M3,H=9MM,A-320	4	EA
41	796112010005	S-STANDOFF,H=13MM;A-SERIES	3	EA
40	791991126002	BRKT HOLDER ASSY,LEFT,A-320S	1	ST
39	791991126001	BRKT HOLDER ASSY;RIGHT,A320S	1	ST
38	412112300001	PCB ASSY;D/D BD,A760T/A320T	1	PC
37	411112400014	PWA;PWA-MMC-2	1	PC
36	411112400002	PWA;PWA-A320T,PCMCIA BD FOR 1394	1	PC
35	378144050481	STANDOFF;#4-40,H4.8,L5.4	6	EA
34	370103010604	SPC-SCREW;M3L6,NIB,K-HD,t0.8,NYLOK	3	EA

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.6	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.15 | MAT'L —

UNIT — | SCALE — | Q'TY —

DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: HOUSING ASSY;MBD,A320S

MAT'L/NO: AD 79194 1126 001

ISSUE A

Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 4 OF 4

Figure C-4-4 Housing Assy; Motherboard, A320S



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
11	797010203080	SCR;M3L8,RND,SUS,PSV	2	EA
10	796112090006	HANDLE,HDD;A-SERIES	1	EA
9	796112090004	CASE,HDD;A-SERIES	1	EA
8	796112060022	RUBBER BUMPER,9.5mm HDD;A-SERIES	2	EA
7	796112060008	RUBBER,HDD;A-SERIES	1	EA
6	796112010012	COVER,HDD,SUS;A-SERIES	1	EA
5	796112010007	PIN,HDD;A-SERIES	2	EA
4	796112010002	SHOULDER SCREW;A-SERIES	2	EA
3	411112000019	PWA;PWA-A740T,HDD ADPT BD	1	PC
2	346112200006	GASKET;41*21*3.7M/M,A320-HDD	1	EA
1	346112200004	GASKET;93*5*5M/M,A320-HDD	2	EA

FILE NAME C:\DWG\A320T\ASSY\79191301.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE \ GRADE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.07.26 | MAT'L | UNIT | SCALE | Q'TY | DRAWN ??? Blanca Chen | DSGN | CHKD | APPR

TITLE: HDD ASSY;A320/A760,0MB
ISSUE A
MAT'L/NO: AD 79191 1122 301
Rev. 00
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1

Figure C-4 HDD Assy; A320/A760, 0MB


2
5
6
20x
4
1
3
8
6 797030103070 SCR;M2L7,FLT,SUS,BCT 20 EA
5 796112091002 BOTTOM COVER,KEYBOARD;A-SERIES 1 EA
4 796112261002 RUBBER KEY 80,BL,US;A-320 1 EA
3 796112051008 MYLAR,KEYBOARD;A-SERIES 1 EA
2 796112051001 TOP COVER,KEYBOARD;A-SERIES 1 EA
1 411112100051 PWA;PWA-A760,K/B,LED BACKLIGHT 1 PC
ITEM P/N DESCRIPTION Q'TY UNIT
FILE NAME C:\DWG\A320T\ASSY\79193009.DWG
GENERAL TOLERANCE ±
GRADE MACHINING STAMPING
NOM. SIZE Fine Med. Coarse A B C
Over To 6 0.05 0.1 0.2 — — —
6 30 0.1 0.2 0.5 0.1 0.15 0.25
30 120 0.15 0.3 0.8 0.15 0.25 0.45
120 315 0.2 0.5 1.2 0.3 0.4 0.6
315 1000 0.3 0.8 2 0.3 0.7 1.1
1000 2000 0.5 1.2 3 0.5 1.1 1.8
LTR REVISION BY APPR DATE ECO/NO.
DATE 89.12.17
MAT'L
UNIT SCALE Q'TY
DRAWN DSGN CHKD APPR
Blanca Chen
TITLE KBD ASSY;A760T/A320T,US,BACKLIGHT
MAT'L/NO AD 79193 1122 009
ISSUE A
Rev. 00
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1

Figure C-5 Keyboad Assy; A760T/A320T, US, Backlight



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
13	797S01800003	WASH;FLT,3.2*0.25*4.7,SUS,PSV	10	EA
12	797S01000011	RUBBER FOOT;AS-136,T=3(ฑ1/?)	1	EA
11	797420206000	WASH;M3,SPR,SUS,PSV	4	EA
10	797010203080	SCR;M3L8,RND,SUS,PSV	14	EA
9	796112092007	HOOK;A-SERIES	1	EA
8	796112062007	RUBBER PLUG,LCD;A-SERIES	2	EA
7	796112060013	RUBBER PAD;HOOK;A-SERIES	1	EA
6	796112031006	BRKT HINGE;A-SERIES	2	EA
5	795984029998	WIRE CLIP;NYLON,2.8*W9.5*L13mm	1	EA
4	791941126400	COVER ASSY;KBD,A320S-7	1	ST
3	791941126300	COVER ASSY;LCD,A320S-7	1	ST
2	791941126200	HOUSING ASSY;LCD,A320S-7	1	ST
1	346600000017	FILM;LCD PROTECTOR,12.1",200*270	1	PC

FILE NAME C:\DWG\A320S\ASSY\79194100.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.15 | MAT'L —

UNIT — | SCALE — | Q'TY —

DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: UPPER ASSY;A320S-7

MAT'L/NO: AD 79194 1126 100

ISSUE A | Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

C-8

Figure C5 Upper Assy, A320S-7



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
14	798014110601	EMI GASKET;AGLNI	4	FT
13	797420206000	WASH;M3,SPR,SUS,PSV	4	EA
12	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	1	EA
11	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	1	EA
10	797010203080	SCR;M3L8,RND,SUS,PSV	4	EA
9	797010203060	SCR;M3L6,RND,SUS,PSV	2	EA
8	796112160008	RUBBER;12.1"LCD,A760-7	1	EA
7	796112092025	LCD BASE;12.1",A-SERIES	1	EA
6	796112063002	LCD RUBBER BUMP,RH,13.3"A-SERIES	1	EA
5	796112063001	LCD RUBBER BUMP,LF,13.3"A-SERIES	1	EA
4	796112061019	COVER,SCREW;A-SERIES	2	EA
3	796112011003	HINGE;ROT SHFT;A-SERIES	2	EA
2	421112100001	CABLE ASSY;INVT TO 12.1" TOUCH PANEL	1	ST
1	412112100001	PCB ASSY;INVER,12.1",ADI-AS,A760/320	1	PC

GRADE	MACHINING			STAMPING		
NOM. SIZE	Fine	Med.	Coarse	A	B	C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

Figure C-6 Housing Assy; LCD, A320T-7T/A760T-7T

1/4

R00



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
13	798014110601	EMI GASKET;AGLNI	4	FT
12	797420206000	WASH;M3,SPR,SUS,PSV	4	EA
11	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	1	EA
10	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	1	EA
9	797010203080	SCR;M3L8,RND,SUS,PSV	4	EA
8	797010203060	SCR;M3L6,RND,SUS,PSV	2	EA
7	796112391004	LCD BASE;12.1",SIDE MNT,A-760T	1	EA
6	796112360001	RUBBER;12.1"LCD,SIDE MNT,A-760T	1	EA
5	796112063002	LCD RUBBER BUMP,RH,13.3"A-SERIES	1	EA
4	796112063001	LCD RUBBER BUMP,LF,13.3"A-SERIES	1	EA
3	796112061019	COVER,SCREW;A-SERIES	2	EA
2	796112011003	HINGE;ROT SHFT;A-SERIES	2	EA
1	412112600001	PCB ASSY;INVERTER,12.1",A320S	1	PC

FILE NAME C:\DWG\A320S\ASSY\79194200.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over	To 6	0.05	0.1	0.2	—	—	—
6	30	0.1	0.2	0.5	0.1	0.15	0.25
30	120	0.15	0.3	0.8	0.15	0.25	0.45
120	315	0.2	0.5	1.2	0.2	0.4	0.6
315	1000	0.3	0.8	2	0.3	0.7	1.1
1000	2000	0.5	1.2	3	0.5	1.1	1.8

DATE	90.08.15	MAT'L	
UNIT		SCALE	Q'TY
DRAWN	DSGN	CHKD	APPR
Blanca Chen			

TITLE: HOUSING ASSY;LCD,A320S-7

ISSUE: A

MAT'L/NO: AD 79194 1126 200

Rev.: 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C6 Housing Assy, LCD, A320S-7



Figure C-7-1 Housing Assy; MBD, A320T



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
4	798043111101	DOUBLE TAPE;3M,#4609,6MM*0.8MM*33M	1.1	M
3	796112391002	LCD COVER;12.1",REED SWITCH,A760T	1	EA
2	796112370003	MAGNET;11.9*5.9*2MM,2000GAUSS	1	EA
1	796112370001	TEMPERED GLASS;262*201*2,A760T	1	PC

FILE NAME C:\DWG\A320S\ASSY\79194300.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.15 | MAT'L — | UNIT — | SCALE — | Q'TY —

DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: COVER ASSY;LCD,A320S-7

MAT'L/NO: AD 79194 1126 300

ISSUE A | Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C7 Cover Assy, LCD, A320S-7



Figure C-7-2 Housing Assy; NBD, A320T

1/4

R00



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
19	7919611120018	CABLE ASSY;MBD TO INVT_TOUCH,W/LB	1	ST
18	797S01000004	RUBBER PAD;AS-232 T=4(ｳﾚﾀﾝ)	4	EA
17	7970F1403050	SCR;M3L5,THIN,FE,NIW	3	EA
16	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	5	EA
15	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	3	EA
14	797030203060	SCR;M3L6,FLT,SUS,PSV	1	EA
13	796112190001	COVER;CHASSIS,A-760	1	EA
12	796112061017	BUTTON,POWER,A-SERIES	1	EA
11	796112051014	LED WINDOW;A-SERIES	1	EA
10	796112051005	BRKT,TRACK PAD;A-SERIES(PLASTIC)	1	EA
9	796112001000	SWITCH COMP.,TRACK PAD;A-SERIES	1	EA
8	796111360006	DOUBLE TAPE,TRACK PAD;L-SERIES	1	EA
7	795680000001	TRACK PAD;PS/2,61*40MM,ALPS	1	EA
6	793901111011	PCB;TRACK PAD CONN,I-SERIES	1	PC
5	421112600002	CABLE ASSY;MB TO INVR BD,A320S-7	1	ST
4	791961120006	CABLE ASSY;KEYBOARD TO TKPD,W/O MK	1	EA
3	411112300006	PWA;PWA-LED&BUTTON SW BD,A760T	1	PC
2	411112000132	PWA;PWA-A-SERIES,TRACKPAD SW BD	1	PC
1	421112600003	CABLE ASSY;MB TO LCD,A320S-7	1	ST

FILE NAME C:\DWG\A320S\ASSY\79194400.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	GRADE: MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 90.08.15 | MAT'L —

UNIT — | SCALE — | Q'TY —

DRAWN | DSGN | CHKD | APPR

Blanca Chen

TITLE: COVER ASSY;KBD,A320S-7

ISSUE A

MAT'L/NO: AD 79194 1126 400

Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

C-11

Figure C8 Cover Assy, LCD, A320S-7


39
77
36
34
37
33
38
35
FILE NAME C:\DWG\A320T\ASSY\79194020.DWG
77 7975010000029 RUBBER PAD;50*5*0.8t (神騏AS-557) 1 EA
39 798961121004 LABEL;CMOS BATTERY,0.25MW 1 EA
38 797210202016 NUT;M2,HEX,SUS,PSV 1 EA
37 797010202050 SCR;M2L5,RND,SUS,PSV 1 EA
36 796112210002 BRKT;I/O,A-320 1 EA
35 796112050004 MYLAR,HDD;A-SERIES 1 EA
34 411112200025 PWA;PWA-A320T,MOTHER BD,A-SERIES 1 PC
33 344112000007 CAP;50PIN CONN,MB'D & DCB'D,A-SERIES 1 EA
ITEM P/N DESCRIPTION Q'TY UNIT
GENERAL TOLERANCE ±
MACHINING STAMPING
Fine Med. Course A B C
Over To 6 0.05 0.1 0.2 — — —
6 30 0.1 0.2 0.5 0.1 0.15 0.25
30 120 0.15 0.3 0.8 0.15 0.25 0.45
120 315 0.2 0.5 1.2 0.3 0.4 0.6
315 1000 0.3 0.8 2 0.3 0.4 1.1
1000 2000 0.5 1.2 3 0.5 1.1 1.8
DATE 89.08.01
MAT'L
UNIT SCALE Q'TY
DRAWN Blanca Chen DSGN CHKD APPR
TITLE HOUSING ASSY;MBD,A320T
ISSUE A
MAT'L/NO AD 79194 1122 020
Rev. 01
GETAC 神基科技股份有限公司
ADD ITEM 77 ? 90.01.08 831124-00011
LTR REVISION BY APPR DATE ECO/NO.
SHT NO. 3 OF 4

Figure C-7-3 Housing Assy; MBD, A320T



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
76	7875D1000028	RUBBER FOOT;20*12*8T (神基AS-852)	2	EA
75	SEE SHT NO. 2 OF 4			
74	SEE SHT NO. 3 OF 4			
73	7980141100601	EMI GASKET;ASLH1,1.78mm,855	4	FT
72	7975D1000004	RUBBER PAD;A5-232 T=4(神基)	1	EA
71			1	EA
70	7970F1403050	SCR;M3L5,THIN FE,NIW	15	EA
69	7970E1403060	SCR;M3L6,RND/SP,FE,NIW	6	EA
68	7970102026060	SCR;M2.6L6,RND,SUS,PSY	4	EA
67	7970102031100	SCR;M3L10,RND,SUS,PSY	2	EA
66	7970102030080	SCR;M3L8,RND,SUS,PSY	2	EA
65	7970102021100	SCR;M2L10,RND,SUS,PSY	1	EA
64	7970102020080	SCR;M2L8,RND,SUS,PSY	1	EA
63	7970102025050	SCR;M2.5,RND,SUS,PSY	5	EA
62	7961122600001	RUBBER;25*25*0.5T,A-320	1	EA
61	7961122500002	CAP;ADAPTERRM'D,A-320T	1	EA
60	7961122300001	HEATSINK;LAN BD,A-320	1	EA
59	7974020240000	WASHJM2.5*0.5US,PSY	2	EA
58	7961122400014	HANDLE,A-320T	1	EA
57	7961120630005	RUBBER PLUG;BAY1,A-760	1	EA
56	7961120400050	RUBBER;BRKT HOLDER,A-320	2	EA
55	7961120600016	RUBBER PAD,HEAT SINK;A-SERIES	17	EA
54	7961120500012	BLOCK HOLDER;CPU,A-760	1	EA
53	7961120320009	HEATSINK;A-320	1	EA
52	7961120510013	CAP;ETHERNET,A-320	1	EA
51	7961120510012	CAP;MODEM,A-320	1	EA
50	7961120120006	S-STANDOFF;H=10MM,A-SERIES	3	EA
49	7961120120002	HOLDER,2ND SCREW;A-SERIES	2	EA
48	7961120120001	HOLDER,SCREW;A-SERIES	4	EA
47	7961120100020	S-STANDOFF;M3,H=9MM,A-320	4	EA
46	7961120100025	S-STANDOFF,H=13MM,A-SERIES	3	EA
45	7919911220002	BRKT HOLDER ASSY;LEFT,A-320	1	ST
44	7919911220001	BRKT HOLDER ASSY;RIGHT,A-320	1	ST
43	412109610014	PCB ASSY;DC TO DC BD,19V,A760T/320T	1	PC
42	411112400002	PWA;PWA-A320T,ICH9CA BD FOR 1.33A	1	PC
41	5781440950481	STANDOFF;F-6-40,H4.8,I3.4	6	EA
40	3701030104604	SPC-SCREW;M3L6,MBLK-HD,I0.8,NYLOK	3	EA

LTR	REVISION	BY	APPR	DATE	ECO/NO.
01	DEL ITEM 71 AND CHANGE ITEM 42,46,58,59,63 CHANGE Q'TY OF ITEM 55 AND ADD ITEM 76	?		90.01.08	831124 -00011

GENERAL TOLERANCE ±						
GRADE	MACHINING			STAMPING		
NOM. SIZE	Fine	Med.	Coarse	A	B	C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.6	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.08.01 | MAT'L | UNIT | SCALE | Q'TY | DRAWN | DSGN | CHKD | APPR | TITLE: HOUSING ASSY;MBD,A320T | ISSUE A | MAT'L/NO AD 79194 1122 020 | Rev. 01

Figure C-7-4 Housing Assy; MBD, A320T



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
22	798014110601	EMI GASKET;AGLNI	4	FT
21				
20	797420206000	WASH;M3,SPR,SUS,PSV	4	EA
19	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	1	EA
18	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	1	EA
17	797010203080	SCR;M3L8,RND,SUS,PSV	4	EA
16	797010203060	SCR;M3L6,RND,SUS,PSV	2	EA
15				
14	796112160008	RUBBER;12.1" LCD,A760-7	1	EA
13	796112092025	LCD BASE;12.1",A-SERIES	1	EA
12	796112063002	LCD RUBBER BUMP,RH,13.3"A-SERIES	1	EA
11	796112063001	LCD RUBBER BUMP,LF,13.3"A-SERIES	1	EA
10	796112061019	COVER,SCREW;A-SERIES	2	EA
9	796112011003	HINGE;ROT SHFT;A-SERIES	2	EA
8	412112100001	PCB ASSY;INVER,12.1",ADI-AS,A760/320	1	PC
7				
6				
5				
4				
3				
2				
1				

Figure C-8 Housing Assy; LCD, A320T-7



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
18				
17	798014110601	EMI GASKET;AGLNI,1.78MM,#55	4	FT
16	797420206000	WASH;M3,SPR,SUS,PSV	4	EA
15	7970F1902030	SCR;M2L3,THIN,FE,ZNB	6	EA
14	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	2	EA
13	797010203080	SCR;M3L8,RND,SUS,PSV	4	EA
12	797010203060	SCR;M3L6,RND,SUS,PSV	2	EA
11	797010203040	SCR;M3L4,RND,SUS,PSV	4	EA
10	796112260004	RUBBER PAD;40*8.5*8.25T,A-320T	4	EA
9	796112260003	RUBBER PAD;10*4.5*4T,A320T	3	EA
8	796112260002	RUBBER;30x20x1T,A-320	2	EA
7	796112211003	BRKT;LCD,ACER 13.3",A-320T	1	EA
6	796112092021	LCD BASE;13.3"SIDE MNT,A-SERIES	1	EA
5	796112063002	LCD,RUBBER,BUMP,RH,13.3";A-SERIES	1	EA
4	796112063001	LCD,RUBBER BUMP,LF,13.3";A-SERIES	1	EA
3	796112061019	COVER,SCREW;A-SERIES	2	EA
2	796112011003	HINGE;ROT SHFT;A-SERIES	2	EA
1	412201170006	PCB ASSY;INVER,13.3" LCD,ACER,A760T	1	PC

FILE NAME C:\DWG\A320T\ASSY\79194061.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.
01	DEL ITEM 18	?		90.01.08	831124-00011

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.08.07 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: HOUSING ASSY;LCD,A320T-8 | ISSUE A | MAT'L/NO AD 79194 1122 061 | Rev. 01

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-9 HDD ASSY; LCD, A320T-8



Figure C-10 Cover Assy; LCD, A320T-7



Figure C-11 Cover ASSY; LCD, A320T-8



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
19	791961120018	CABLE ASSY;MBD TO INVT_TOUCH,W/LB	1	ST
18	797S01000004	RUBBER PAD;AS-232 T=4(THIN)	4	EA
17	7970F1403050	SCR;M3L5,THIN,FE,NIW	3	EA
16	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	5	EA
15	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	3	EA
14	7970302030 60	SCR;M3L6,FLT,SUS,PSV	1	EA
13	796112190001	COVER;CHASSIS,A-760	1	EA
12	796112061017	BUTTON,POWER,A-SERIES	1	EA
11	796112051014	LED WINDOW;A-SERIES	1	EA
10	796112051005	BRKT,TRACK PAD;A-SERIES(PLASTIC)	1	EA
9	796112001000	SWITCH COMP.,TRACK PAD;A-SERIES	1	EA
8	796111360006	DOUBLE TAPE,TRACK PAD;L-SERIES	1	EA
7	795680000001	TRACK PAD;PS/2,61*40MM,ALPS	1	EA
6	793901111011	PCB;TRACK PAD CONN,I-SERIES	1	PC
5	422112100014	CABLE ASSY;MB TO INVR BD,A760	1	ST
4	791961120006	CABLE ASSY;KEYBOARD TO TKPD,W/O MK	1	EA
3	411112300006	PWA;PWA-LED&BUTTON SW BD,A760T	1	PC
2	411112000132	PWA;PWA-A-SERIES,TRACKPAD SW BD	1	PC
1	422112400004	CABLE ASSY;MB TO LCD,ADI 12",A320T	1	ST

LTR	REVISION	BY	APPR	DATE	ECO/NO.
A	CHANGE ITEM 1,2,3,5	?		90.01.08	831124-00011

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.6	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.07.27 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: COVER ASSY;KBD,A320T-7
ISSUE A
MAT'L/NO: AD 79194 1122 160
Rev. 01
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1

Figure C-12 Cover Assy; KBD, A320T-7


FILE NAME C:\DWG\A320T\ASSY\79194161.DWG
18 797S01000004 RUBBER PAD;AS-232 T=4(雙面膠) 4 EA
17 7970F1403050 SCR;M3L5,THIN,FE,NIW 3 EA
16 7970E1403080 SCR;M3L8,RND/SF,FE,NIW 5 EA
15 7970E1403060 SCR;M3L6,RND/SF,FE,NIW 3 EA
14 797030203060 SCR;M3L6,FLT,SUS,PSV 1 EA
13 796112190001 COVER;CHASSIS,A-760 1 EA
12 796112061017 BUTTON,POWER,A-SERIES 1 EA
11 796112051014 LED WINDOW;A-SERIES 1 EA
10 796112051005 BRKT,TRACK PAD;A-SERIES(PLASTIC) 1 EA
9 796112001000 SWITCH COMP.,TRACK PAD;A-SERIES 1 EA
8 796111360006 DOUBLE TAPE,TRACK PAD;L-SERIES 1 EA
7 795680000001 TRACK PAD;PS/2,61*40MM,ALPS 1 EA
6 793901111011 PCB;TRACK PAD CONN,I-SERIES 1 PC
5 422112100008 CABLE ASSY;MB TO INVR BD,A760 1 ST
4 791961120006 CABLE ASSY;KEYBOARD TO TKPD,W/O MK 1 EA
3 411112300006 PWA;PWA-LED&BUTTON SW BD,A760T 1 PC
2 411112000132 PWA;PWA-A-SERIES,TRACKPAD SW BD 1 PC
1 422112200003 CABLE ASSY;VGA TO LCD,A320T-8 1 EA
ITEM P/N DESCRIPTION Q'TY UNIT
GENERAL TOLERANCE ±
MACHINING Fine Med. Coarse
STAMPING A B C
CHANGE ITEM 2,3,5 ? 90.01.08 631124-00011
LTR REVISION BY APPR DATE ECO/NO.
DATE 89.08.07
MAT'L
UNIT SCALE Q'TY
DRAWN Blanca Chen DSGN CHKD APPR
TITLE COVER ASSY;KBD,A320T-8
ISSUE A
MAT'L/NO AD 79194 1122 161
Rev. 01
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1

Figure C-13 Cover Assy; KBD, A320T-8



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
12	796112160003	RUBBER PAD;BAY1 DOOR,A-760	1	EA
11	796112160002	RUBBER PAD;BAY1,A-760	1	EA
10	796112260015	RUBBER;BAY2,IP54,A320T	1	EA
9	796112160204	RUBBER;I/O,IP54,A-760T	1	EA
8	796112160205	RUBBER;BAY 1,IP54,A760T	1	EA
7	796112060009	RUBBER,FDD;A-SERIES	1	EA
6	796112160201	RUBBER;POWER,IP54,A-760T	1	EA
5	796112032008	DOOR;BAY2,A-320	1	EA
4	796112030045	DOOR;BAY1,A-760	1	EA
3	796112030044	DOOR;POWER,A-760	1	EA
2	796112030043	DOOR;I/O,A-760	1	EA
1	796112310001	SHOULDER SCREW;A760T	11	EA

FILE NAME C:\DWG\A320T\ASSY\79194200.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.5

DATE 89.12.14 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: HOUSING ASSY;MBD,A320T,TOUCH SCREEN | ISSUE A | MAT'L/NO AD 79194 1124 200 | Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 4

Figure C-14-1 Housing Assy; MBD, A320T, Touch Screen


40
39
36
34
37
33
38
35
40 | 7989611210004 | LABEL;CMOS BATTERY,0.25MM | 1 | EA
39 | 7975010000029 | RUBBER PAD;5D*5*0.8Y (神興 AS-557) | 1 | EA
38 | 7972102002016 | NUT;M2,HEX,SUS,PSV | 1 | EA
37 | 7970102020050 | SCRW;0.5,RND,SUS,PSV | 1 | EA
36 | 796112210002 | BRKT;I/O,A-320 | 1 | EA
35 | 796112050004 | MYLAR,HDD;A-SERIES | 1 | EA
34 | 411112400001 | PWA;PWA-A320T,M/B W/TOUCH SCREEN | 1 | PC
33 | 344112000007 | CAP;50PIN CONN,MB'D & DCB'D,A-760 | 1 | EA
ITEM | P/N | DESCRIPTION | Q'TY | UNIT
FILE NAME C:\DWG\A320T\ASSY\79194200.DWG
GENERAL TOLERANCE ±
MACHINING: Fine | Med. | Coarse
STAMPING: A | B | C
Over To 6: 0.05 | 0.1 | 0.2 | — | — | —
6 30: 0.1 | 0.2 | 0.5 | 0.1 | 0.15 | 0.25
30 120: 0.15 | 0.3 | 0.8 | 0.15 | 0.25 | 0.45
120 315: 0.2 | 0.5 | 1.2 | 0.2 | 0.4 | 0.6
315 1000: 0.3 | 0.8 | 2 | 0.3 | 0.7 | 1.1
1000 2000: 0.5 | 1.2 | 3 | 0.5 | 1.1 | 1.8
LTR | REVISION | BY | APPR | DATE | ECO/NO.
DATE 89.12.14
MAT'L
UNIT
SCALE
Q'TY
DRAWN ???
DSGN Blanca Chen
CHKD
APPR
TITLE HOUSING ASSY;MBD,A320T,TOUCH SCREEN
ISSUE A
MAT'L/NO AD 79194 1124 200
Rev. 00
GETAC 神基科技股份有限公司
SHT NO. 3 OF 4

Figure C-14-2 Housing Assy; MBD, A320T, Touch Screen



Figure C-14-3 Housing Assy; MBD, A320T, Touch Screen



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
19	422112100005	CABLE ASSY;MBD TO INVT,W/TOUCH,A760	1	ST
18	797S01000004	RUBBER PAD;AS-232 T=4(待確認)	4	EA
17	7970F1403050	SCR;M3L5,THIN,FE,NIW	3	EA
16	7970E1403080	SCR;M3L8,RND/SF,FE,NIW	5	EA
15	7970E1403060	SCR;M3L6,RND/SF,FE,NIW	3	EA
14	797030203060	SCR;M3L6,FLT,SUS,PSV	1	EA
13	796112190001	COVER;CHASSIS,A-760	1	EA
12	796112061017	BUTTON,POWER,A-SERIES	1	EA
11	796112051014	LED WINDOW;A-SERIES	1	EA
10	796112051005	BRKT,TRACK PAD;A-SERIES(PLASTIC)	1	EA
9	796112001000	SWITCH COMP.,TRACK PAD;A-SERIES	1	EA
8	796111360006	DOUBLE TAPE,TRACK PAD;L-SERIES	1	EA
7	795680000001	TRACK PAD;PS/2,61*40MM,ALPS	1	EA
6	793901111011	PCB;TRACK PAD CONN,I-SERIES	1	PC
5	422112100014	CABLE ASSY;MB TO INVR BD,A760	1	ST
4	791961120006	CABLE ASSY;KEYBOARD TO TKPD,W/O MK	1	EA
3	411112300006	PWA;PWA-LED&BUTTON SW BD,A760T	1	PC
2	411112000132	PWA;PWA-A-SERIES,TRACKPAD SW BD	1	PC
1	422112400004	CABLE ASSY;MB TO LCD,ADI 12",A320T	1	ST

LTR	REVISION	BY	APPR	DATE	ECO/NO.

GENERAL TOLERANCE ±

NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Course	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.7	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.12.15 | MAT'L | UNIT | SCALE | Q'TY | DRAWN Blanca Chen | DSGN | CHKD | APPR

TITLE: COVER ASSY;KBD,A320T-7T/A760T-7T | ISSUE A | MAT'L/NO AD 79194 1124 301 | Rev. 00

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-15 Cover Assy; KBD, A320T-7T/A760T-7T


X10
X10
X2
X4
X4
X2
14 7975018000003 WASH;FLT,3.2*0.25*4.7,SUS,PSV 10 EA
13 7975010000011 RUBBER FOOT;AS-136,T=3(特殊) 1 EA
12 797420206000 WASH;M3,SPR,SUS,PSV 4 EA
11 797010203080 SCR;M3L8,RND,SUS,PSV 14 EA
10 796112082007 HOOK;A-SERIES 1 EA
9 796112062007 RUBBER PLUG,LCD;A-SERIES 2 EA
8 796112060013 RUBBER PAD;HOOK;A-SERIES 1 EA
7
6 796112031006 BRKT HINGE;A-SERIES 2 EA
5 7959840299998 WIRE CLIP;NYLON,2.8*W9.5*L13mm 1 EA
4 791941122160 COVER ASSY;KBD,A320T-7 1 ST
3 791941122110 COVER ASSY;LCD,A320T-7 1 ST
2 791941122060 HOUSING ASSY;LCD,A320T-7 1 ST
1 346800000017 FILM;LCD PROTECTOR,12.1",200*270 1 PC
ITEM P/N DESCRIPTION Q'TY UNIT
FILE NAME C:\DWG\A320T\ASSY\79194310.DWG
GENERAL TOLERANCE ±
GRADE MACHINING STAMPING
NOM. SIZE Fine Med. Coarse A B C
Over To 6 0.05 0.1 0.2 — — —
6 30 0.1 0.2 0.5 0.1 0.15 0.25
30 120 0.15 0.3 0.8 0.15 0.25 0.45
120 315 0.2 0.5 1.2 0.2 0.4 0.6
315 1000 0.3 0.8 2 0.3 0.7 1.1
1000 2000 0.5 1.2 3 0.5 1.1 1.8
DATE 89.07.28
MAT'L
UNIT SCALE Q'TY
DRAWN DSGN CHKD APPR
Blanca Chen
TITLE UPPER ASSY;A320T-7
MAT'L/NO AD 79194 1122 310
ISSUE A
Rev. 01
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1
DEL ITEM 7. ? 90.01.08 831124-00011
LTR REVISION BY APPR DATE ECO/NO.

Figure C-16 Upper Assy; A320T-7



ITEM	P/N	DESCRIPTION	Q'TY	UNIT
15	7975018O0002	SCR;M2.5L8,RND/SF,FE,BCT	10	EA
14	797501000011	RUBBER FOOT;AS-136,T=3( )	1	EA
13	797420206000	WASHER;O.5P8,SUS,PSV	4	EA
12	797010203080	SCR;M3L8,RND,SUS,PSV	4	EA
11	79611226001S	RUBBER PAD;LCD COVER,LEFT,A-320	1	EA
10	796112260012	RUBBER PAD;LCD COVER,RIGHT,A-320	1	EA
9	796112092007	HOOK;A-SERIES	1	EA
8	796112060013	RUBBER PAD;HOOK;A-SERIES	1	EA
7				
6	796112031006	BRKT HINGE;A-SERIES	2	EA
5	795984029998	WIRE CLIP;NYLON,2.8*W9.5*L13mm	1	EA
4	791941122161	COVER ASSY;KBD,A320T-8	1	ST
3	791941122111	COVER ASSY;LCD,A320T-8	1	ST
2	791941122061	HOUSING ASSY;LCD,A320T-8	1	ST
1	346565200015	FILM;LCD PROTECT,13.3",215*290	1	PC

FILE NAME C:\DWG\A320T\ASSY\79194311.DWG

LTR	REVISION	BY	APPR	DATE	ECO/NO.
	DEL ITEM 7	?		90.01.08	831124-00011

GENERAL TOLERANCE ±

GRADE / NOM. SIZE	MACHINING Fine	MACHINING Med.	MACHINING Coarse	STAMPING A	STAMPING B	STAMPING C
Over To 6	0.05	0.1	0.2	—	—	—
6 30	0.1	0.2	0.5	0.1	0.15	0.25
30 120	0.15	0.3	0.8	0.15	0.25	0.45
120 315	0.2	0.5	1.2	0.2	0.4	0.6
315 1000	0.3	0.8	2	0.3	0.6	1.1
1000 2000	0.5	1.2	3	0.5	1.1	1.8

DATE 89.08.04 | MAT'L | UNIT | SCALE | Q'TY

DRAWN Blancy Chen | DSGN | CHKD | APPR

TITLE: UPPER ASSY;A320T-8 | ISSUE A | MAT'L/NO AD 79194 1122 311 | Rev. 01

GETAC 神基科技股份有限公司

SHT NO. 1 OF 1

Figure C-17 Upper Assy; A320T-8


X10
X10
X2
X4
X4
X2
13 7975O1800003 WASH;FLT,3.2*0.25*4.7,SUS,PSV 10 EA
12 7975O1000011 RUBBER FOOT;AS-136,T=3( ) 1 EA
11 797420206000 WASH;M3,SPR,SUS,PSV 4 EA
10 797010203080 SCR;M3L8,RND,SUS,PSV 14 EA
9 798112092007 HOOK;A-SERIES 1 EA
8 798112062007 RUBBER PLUG,LCD;A-SERIES 2 EA
7 798112060013 RUBBER PAD;HOOK;A-SERIES 1 EA
6 798112031006 BRKT HINGE;A-SERIES 2 EA
5 785984029998 WIRE CLIP;NYLON,2.8*W9.5*L13mm 1 EA
4 791941124301 COVER ASSY;KBD,A320T-7T/A760T-7T 1 ST
3 791941122103 COVER ASSY;LCD,A320-7T 1 ST
2 791941124000 HOUSING ASSY;LCD,A320T-7T/A760T-7T 1 ST
1 346800000017 FILM;LCD PROTECTOR,12.1",200*270 1 PC
ITEM P/N DESCRIPTION Q'TY UNIT
FILE NAME C:\DWG\A320T\ASSY\79194401.DWG
GENERAL TOLERANCE ±
GRADE MACHINING STAMPING
NOM. SIZE Fine Med. Coarse A B C
Over To 6 0.05 0.1 0.2 — — —
6 30 0.1 0.2 0.5 0.1 0.15 0.25
30 120 0.15 0.3 0.8 0.15 0.25 0.45
120 315 0.2 0.5 1.2 0.2 0.4 0.6
315 1000 0.3 0.8 2 0.3 0.6 1.1
1000 2000 0.5 1.2 3 0.5 1.1 1.8
LTR REVISION BY APPR DATE ECO/NO.
DATE 89.12.14
MAT'L
UNIT
SCALE
Q'TY
DRAWN Blanca Chen
DSGN
CHKD
APPR
TITLE UPPER ASSY;A320T-7T/A760T-7T
ISSUE A
MAT'L/NO AD 79194 1124 401
Rev. 00
GETAC 神基科技股份有限公司
SHT NO. 1 OF 1

Figure C-18 Upper Assy; A320T-7T/A760T-7T



Figure B-1 Mother Board Silk Screen (Component Side) B-1


SILK SCREEN (SOLD. SIDE)
DATE: 98\11\19
PAGE 12 OF 15
MITAC



Figure B-3 PCMCIA Board Silk Screen (Component Side) B-3



Figure B-4 PCMCIA Board Silk Screen (Solder Side) B-4

STANDARD HARDWARE TORQUE VALUES UNIT : KG-CM

MOTHER MATERIAL / SCREW SIZE	ALUMINUM	BRASS	LOW CARBON STEEL	STAINLESS STEEL	PLASTIC
M2	1.3-1.4	1.8-2.0	2.0-2.2	2.2-2.4	1.0-1.2
M2.6	2.8-3.2	4.0-4.5	4.5-5.0	5.0-5.5	2.0-2.3
M3	3.9-4.2	5.5-6.0	6.0-6.6	6.6-7.3	3.2-3.5
M4	9.5-10.4	13.5-14.9	15.0-16.5	16.7-18.3	7.0-8.1
M5	13.9-15.3	19.8-21.8	22.0-24.2	24.2-26.9	9.2-10.5
2-56	1.5-1.6	2.1-2.3	2.3-2.5	2.6-2.9	1.2-1.4
4-40	3.1-3.4	4.5-5.0	4.9-5.4	5.4-6.0	2.5-2.9
6-32	5.5-6.1	8.3-9.1	9.1-10.0	10.0-11.0	4.0-4.9
8-32	11.3-12.4	17.1-18.6	18.5-20.5	20.6-22.8	8.5-10.0
10-32	19.9-22.1	26.9-29.8	30.8-34.2	32.9-36.5	14.0-17.0

* If Heli Coil inserted, refer to “STAINLESS STEEL” column.

Table C-1 Standard Hardware Torque